

Wacker-Belsil® CM 3092

Cyclopentasiloxane, Dimethiconol

Characteristics

Wacker-Belsil® CM 3092 is a blend of cyclopentasiloxane and a high molecular silicone gum. Due to its composition, it combines the properties of the low viscosity, volatile fluid cyclopentasiloxane and the extremely high viscosity dimethiconol. The excellent spreading of cyclopentasiloxane allows a good distribution of the high viscosity conditioning agent dimethiconol.

Applications

Wacker-Belsil CM 3092 is used in hair care and in skin care applications.

Skin care and skin protection preparations containing Wacker-Belsil CM 3092 impart a pleasant, supple feel to skin; it eases the distribution of the formulations and improves skin elasticity. At the same time, it forms a water-resistant, but breathable protective barrier. This provides good substantivity and fixation of active ingredients.

Use of Wacker-Belsil CM 3092 in hair care products yields sleek, shiny hair. Damaged hair regains a natural, healthy appearance. Wet and dry comb-ability are improved, and further damage to the hair cuticle is prevented.


Storage

Wacker-Belsil CM 3092 has a shelf life of at least 12 months when stored between 5°C and 40°C in the tightly closed original container. The 'Best use before end' date of each batch appears on the product label.

Storage beyond the date specified on the label does

not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

Chemical Structure



Safety information

Detailed safety information is contained in each material data safety sheet, which can be obtained from our sales offices.

Product data

Properties	Characteristics
Appearance	Clear, colorless
Viscosity, approx., [mm ² /s]	5,000
Density at 25°C, approx., [g/cm ³]	0.96
Refractive index at 25°C approx.	1.397
Solids content, approx., [%]	10
INCI name	Cyclopentasiloxane, dimethiconol

Additional Information

Solubility

Ingredient	Wacker-Belsil CM 3092	Ingredient	Wacker-Belsil CM 3092
Mineral Oil		Alcohols	
C9-13 Isoparaffin	✓	Octyldodecanol	•
Mineral Oil, high-visc.	•	Oleyl Alcohol	•
Mineral Oil, low-visc.	•	Propylene Glycol	•
		Isopropanol	•
Ester Oil		Alcohol	
Ethyl Acetate	✓	Glycerin	•
C12-15 Alkyl Benzoate	•		
Isopropyl Myristate	✓	Ketones	
Oleyl Oleate	•	Benzophenone-3	•
Ethylhexyl Methoxycinnamate	P	4-Methylbenzylidene Camphor	P
Ethylhexyl Salicylate	✓		
Triglycerides		Water	
Castor Oil	•		•
Olive Oil	•		
Wheatgerm Oil	•		
Lanolin Oil	•		

✓ = Soluble (> 10%)

P = Partially soluble (1 – 10%)

Δ = insoluble

BRENNTAG, Inc. our distributor representative
for the United States and Canada:

BRENNTAG - Northeast

Telephone: 610 926-4151
Toll Free: 800 422-8160
Fax: 610 926-4160

BRENNTAG – Southeast

Telephone: 919 596-0681
Toll Free: 800 335-8101
Fax: 919 596-6438

BRENNTAG – Great Lakes

Telephone: 262 252-3550
Toll Free: 800 558-8501
Fax: 262 252-5250

BRENNTAG – Southwest

Telephone: 903 759-7151
Toll Free: 800 945-1858
Fax: 903 297-3145

BRENNTAG – Mid-South

Telephone: 270 830-1323
Toll Free: 800 950-7267, X1323
Fax: 270 826-1486

BRENNTAG – West

Telephone: 562 903-9626
Toll Free: 800 479-7626 (Exc. CA)
Toll Free: 800 762-3433 (CA)
Fax: 562 903-9622

BRENNTAG – Canada

Telephone: 416 259-8231
Fax: 416 259-5333

The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the products for a particular purpose.

The management system has been certified according to ANSI/ISO/ASQ Q9001 and ANSI/ISO 14001.

and Wacker-Belsil® are registered trademarks of Wacker Chemie AG.

Version 3.00 from 01-02-06 replaces
Version 2.00 from 29-08-03

For technical, quality, or product safety questions, please contact:

WACKER SILICONES
Wacker Chemical Corporation
3301 Sutton Road
Adrian, MI 49221

Tel.: + 1 517 264 8500
Fax: +1 517 264 8246
Email: customer-care@wacker.com

www.wacker.com
info.usa@wacker.com